

Direct Injection Residential Open Silent Diesel Generator For Home

Basic Information

. Place of Origin: China Brand Name: **GET** ISO CE · Certification: Negotiable • Delivery Time: 15-20 workdays

LC, T/T, PayPal, Western Union, Small-Payment Terms:

amount payment, Money Gram



Product Specification

. Rated Frequency: 50hz 60hz

Rated Output(kw): 1.8 2.0/ 2.5 2.8/ 4.8 5.0/ 5.0 5.2/ 6.0 6.2/ 6.3

2.0 2.2/ 2.7 3.0/ 5.2 5.5/ 5.5 5.7/ 6.6 6.8/ 6.9 Max Output (kw):

• Rated Voltage (V): 220V Or As Request

7.8 8.7/ 11.3 12.7/ 20.5 22.7/ 22.7 23.6/ 27.2 • Rated Currency (A):

28.2/28.6 30.9

Rated Rotation Speed

(r/min):

3000 3600

• Phase No.: Single Phase

Power Factor: Insulation Grade: F Pole Number:

• Excitation Mode: Self-excitation & Constant Voltage (AVR)

· Panel Type: General Panel

Product Description

GET2500E GET3500E GET6500E GET7500E GET8500E GET9500E Open Type Diesel Generator

The models you mentioned, GET2500E, GET3500E, GET6500E, GET7500E, GET8500E, and GET9500E, refer to open type diesel generators. These generators are commonly used to provide electrical power in various applications, including residential, commercial, and industrial settings. Here are some details about these open type diesel generators:

Rated Output(kw):	1.8 2.0/ 2.5 2.8/ 4.8 5.0/ 5.0 5.2/ 6.0 6.2/ 6.3 6.8				
	220V Or As Request				
Rated Rotation	'				
Speed (r/min):	3000 3600				
Power Factor:	1				
Pole Number:	2				
Panel Type:	General Panel				
Connection Pole:	Without				
Overall	690x480x560/ 690x480x560/ 730x495x630/ 730x495x630/				
Dmension(mm):	730x495x630/ 730x495x655				
Working Assorting					
Weight (kg):	66 83 110 115 120 125				
Structure Type:	Open Type				
Cylinder Nobore X	1-73x55/ 1-78x62/ 1-86x72/ 1-88x75/ 1-92x75/ 1-95x75				
Stroke (mm):					
Rated Power:	2.5/3000-2.8/3600. 3.68/3000-4/3600. 5.7/3000-6.3/3600. 6.5/3000-7.2/3600. 7.6/3000-8.2/3600. 8.1/3000-8.7/3600				
Lubrication System:	Pressure Splashed				
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40				
Starting Motor Capacity:	12V 0.9KW/ 12V 1.2KW				
Battery Capacity:	12V 20Ah/ 12V 30Ah				
Fuel Tank Capacity (L):	13.5				
Rated Frequency:	50hz 60hz				
Max Output (kw):	2.0 2.2/ 2.7 3.0/ 5.2 5.5/ 5.5 5.7/ 6.6 6.8/ 6.9 7.4				
Rated Currency (A):	7.8 8.7/ 11.3 12.7/ 20.5 22.7/ 22.7 23.6/ 27.2 28.2/ 28.6 30.9				
Phase No.:	Single Phase				
Insulation Grade:	F				
Excitation Mode:	Self-excitation & Constant Voltage (AVR)				
Receptacle:	Two Receptacles				
DC 12V Output:	Connection Pole Output				
Dry Weight (kg):	53 70 100 105 110 115				
Noise Level (7m):	77 DB				
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air-cooled				
Displacement(ml):	247 296 418 456 498 531				
Compression Ratio:	20:01, 19:01				
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel				
Lube Capacity (L):	0.75 1.1 1.65				
Charging Generator Capacity:	12V 8.3A				
Fuel Consumption (g/kw*h):	≤280				
GET2500E Open Tvi	 Dianal Oamanatan				

GET2500E Open Type Diesel Generator:

Power Output: The GET2500E generator typically provides a power output of around 2,500 watts or 2.5 kilowatts (kW).

Engine: It is equipped with a diesel engine that drives the generator to produce electricity.

Fuel Type: These generators run on diesel fuel, which is known for its energy efficiency and durability.

Features: Open type generators usually have a simple design without an enclosed casing or soundproofing. They are more compact and cost-effective compared to enclosed or silent type generators.

Common Applications: The GET2500E generator is suitable for small-scale power needs, such as powering basic household appliances, small tools, or equipment.

GET3500E Open Type Diesel Generator:

Power Output: The GET3500E generator typically provides a power output of around 3,500 watts or 3.5 kilowatts (kW).

Engine: It is equipped with a diesel engine designed to generate electricity.

Fuel Type: These generators run on diesel fuel, which offers a more extended runtime compared to gasoline generators. Features: Open type generators are typically more compact and lightweight, making them easier to transport and install. Common Applications: The GET3500E generator can power a wider range of appliances and equipment, making it suitable for residential backup power, construction sites, and small businesses.

GET6500E Open Type Diesel Generator:

Power Output: The GET6500E generator provides a power output of around 6,500 watts or 6.5 kilowatts (kW).

Engine: It is equipped with a diesel engine designed to produce electrical power.

Fuel Type: These generators run on diesel fuel, which is readily available and offers efficient fuel consumption.

Features: Open type generators are typically designed for easy maintenance, with accessible engine components and controls.

Common Applications: The GET6500E generator can handle more substantial power requirements and is suitable for backup power in homes, small businesses, construction sites, and outdoor events.

GET7500E Open Type Diesel Generator:

Power Output: The GET7500E generator typically provides a power output of around 7,500 watts or 7.5 kilowatts (kW).

Engine: It is equipped with a diesel engine optimized for power generation.

Fuel Type: These generators are fueled by diesel, which offers a higher energy density compared to other fuels.

Features: Open type generators are relatively simple in design, making them cost-effective and easy to maintain.

Common Applications: The GET7500E generator is suitable for a wide range of applications, including residential backup power, construction sites, and outdoor events where a higher power output is required.

GET8500E Open Type Diesel Generator:

Power Output: The GET8500E generator typically provides a power output of around 8,500 watts or 8.5 kilowatts (kW). Engine: It is equipped with a diesel engine specifically designed for power generation purposes.

Fuel Type: These generators run on diesel fuel, which is commonly available and has good energy efficiency.

Features: Open type generators are typically compact and lightweight, making them easy to transport and install.

Common Applications: The GET8500E generator can handle larger power requirements and is suitable for residential backup power, small businesses, construction sites, and outdoor events.

GET9500E Open Type Diesel Generator:

Power Output: The GET9500E generator typically provides a power output of around 9,500 watts or 9.5 kilowatts (kW). Engine: It is equipped with a diesel engine designed to deliver reliable power generation.

Fuel Type: These generators run on diesel fuel, which is known for its stability and long shelf life.

Features: Open type generators are generally more affordable and easier to maintain compared to enclosed or silent type generators.

Common Applications: The GET9500E generator is suitable for a wide range of applications, including residential backup power, small businesses, construction sites, and outdoor events requiring higher power output.

It's important to consider the power requirements of your specific application and consult with the manufacturer or supplier to determine the most suitable open type diesel generator model for your needs.



DE MAN	detance	DETRHUE	DETRIORE	ORTHOR	DETMODE	OETHORE	
MESSES Rated Requests (14).7	II II						
MERCH States output GO	18 20	23-28	48.50	80 82	43.42	40.48	
BANK Stee, makes NO	25 33	27 38	82 88	88 87	68 68	49.74	
MINER Retail college (V)	DOV BREEK PER DOV OF STREET						
MEDIE Retail names (A)	78 67	113 107	2013 2017	20.7 23.6	373 363	284 364	
BERR Baker tolskip opport i rittin 1	900 900						
SE Proc VI.	Bill Street phone						
#488 Page Sent Co. #1	1						
MARKE Installer Code	,						
SE No. netw	*						
Bell by Botelon note	BERS I BANK I Set worker & contra votage ands						
BERG Poles Type	B BUR Seport Front						
MICRIA RESOURCE	RET WINDS BIG Two troughtures						
Malifetti Corredonade	8 Fillout						
MINESC 129 DOTES HARM	MISSING Corrector print output						
PRINT Dural desense CL+ N+H1 1 min 1	extraction	89074807460	73074807630	7974667606	757497000	75074667655	
RED by weight (by)	10	10	100	100	110	778	
STREET FOR Victors marries print (by)	- 64	80	716	115	130	105	
MATRICIA STATE STATE (Sec.)	35	IT	33	TT	77	77	
SERVE Development	Contrace						
IN SHIELD STREET, STREET, STREET,	DETTTOP	GETCHF	GETTANIA	GETTIME	DET-10F	GETHEF	
British find Copins Type	Strate spiroles, revisual, har winder, dread transition, air contest						
FIRM A ST WIR Cylinder NO - how y should live to	1.73786	1.79763	1-8679	1-86733	1.6075	1.0075	
### (harbonnet (m)	247	206	416	450	806	Size .	
BEN KONTON STANSON	25/900 24/9800	3.6870000 A/9000	6.1/2000 5.5/5000	9.5/3000 7.2/3800	T-0-7000 9-2/2000	8.100004.7080	
ERR Compression/site	2004	80.01	1004	1991	19.00	1001	
WRYS Loverton summ.	E.C. VARRES Frances scholar						
BRAY SURGOSINO	R STR BOTH FOOT - DOOR STAT						
BBBS henge	SF (EX1-08 6X1-09 688 888 SF (spinor) - 608 seto) - 658 (chines) 5000						
SKRIMEN Life of Stood	COURSE DATER SIL TRY-EC						
京市日本版 Lube Sape Str. LL.1	0.75	1.1	1.85	1.09	135	1.00	
BEST SINE States and a specify (V-6V)	129 OUNTY	TOY COM	107 1,907	TOV COMP	101 1,007	TIV LIM	
NAMES OF THE OWNERS OF THE PARTY OF THE PART	UV 634						
William Will States countrily 1 or 66 1	129	204h	TH 2000		97 86		
MAINE For company (photo)	- 18						
MARKET For his capacity (), (as						
MAIN FRANCISCO CONTRACTOR STORY (Inc.)	- 4	10			7	7 .	

GET Wuxi Guangertai Power Machinery Co.,Ltd



13813650506



2415819289@qq.com



@ dieselenginepumps.com

NO.88 Shenxing East Road, Wanshi Town, Yixing City, CHINA